

	Hits	Search Text	DBs
1	49	(("5450339") or ("6002716") or ("5005185") or ("5602835") or ("5881057") or ("4816861") or ("4851657") or ("5253268") or ("5349609") or ("5373536") or ("5646958") or ("5745531") or ("5748623") or ("5802121") or ("5883929") or ("5940433") or ("6157847") or ("6167037") or ("6349109") or ("6452991") or ("6463097") or ("6226337") or ("6226337") or ("5652771") or ("5684894") or ("5706314") or ("5754603") or ("5949053") or ("6163563") or ("4316260") or ("4989000") or ("5344145") or ("4803651") or ("5773806") or ("5884014") or ("6011905") or ("6020972") or ("6157746") or ("6236758") or ("3858703") or ("4250458") or ("4262290") or ("4264134") or ("4267595") or ("4295206") or ("4319077") or ("4319225") or ("4352166") or ("4378118") or ("4380130")).PN.	US-PGPUB; USPAT; USOCR
2	1	wo-200129982-\$.did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
3	1	wo-200035112-\$.did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
4	2	ep-453814-\$.did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
5	2	ep-550143-\$.did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
6	210509 48	@ad<"20010807"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
7	1	("5557645").PN.	US-PGPUB; USPAT; USOCR
8	1	("6148023").PN.	US-PGPUB; USPAT; USOCR
9	1	2000-532513.NRAN.	DERWENT

	Hits	Search Text	DBs
10	49	(("5450339") or ("6002716") or ("5005185") or ("5602835") or ("5881057") or ("4816861") or ("4851657") or ("5253268") or ("5349609") or ("5373536") or ("5646958") or ("5745531") or ("5748623") or ("5802121") or ("5883929") or ("5940433") or ("6157847") or ("6167037") or ("6349109") or ("6452991") or ("6463097") or ("6226337") or ("6226337") or ("5652771") or ("5684894") or ("5706314") or ("5754603") or ("5949053") or ("6163563") or ("4316260") or ("4989000") or ("5344145") or ("4803651") or ("5773806") or ("5884014") or ("6011905") or ("6020972") or ("6157746") or ("6236758") or ("3858703") or ("4250458") or ("4262290") or ("4264134") or ("4267595") or ("4295206") or ("4319077") or ("4319225") or ("4352166") or ("4378118") or ("4380130")).PN.	US-PGPUB; USPAT; USOCR
11	1	("5557645").PN.	US-PGPUB; USPAT; USOCR
12	1	("6148023").PN.	US-PGPUB; USPAT; USOCR
13	1	wo-200035112-\$.did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
14	1	wo-200129982-\$.did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
15	2	ep-453814-\$.did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
16	2	ep-550143-\$.did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
17	31	(S10 or S11 or S12 or S13 or S14 or S15 or S16) and decod\$5 and @ad<"20010807"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
18	3	(S10 or S11 or S12 or S13 or S14 or S15 or S16) and decod\$5 and (rake or g-rake or (general\$7 near2 rake)) and @ad<"20010807"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
19	1	(S10 or S11 or S12 or S13 or S14 or S15 or S16) and decod\$5 and (rake or g-rake or (general\$7 near2 rake)) and crc and @ad<"20010807"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
20	38	g-rake or grake or "g rake"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
21	1	((g-rake or grake or "g rake" or "generalized rake") and rake) near2 compar\$7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
22	28	((g-rake or grake or "g rake" or "generalized rake") and rake)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
23	28	((g-rake or grake or "g rake" or "generalized rake") same rake)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
24	28	((g-rake or grake or "g rake" or "generalized rake") with rake)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
25	16	(g-rake or grake or "g rake" or "generalized rake") and decod\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
26	3	(g-rake or grake or "g rake" or "generalized rake") and decod\$5 and @ad<"20010807"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
27	402	rake and decod\$5 and feedback and @ad<"20010807"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
28	44	rake and (decod\$5 with feedback) and @ad<"20010807"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
29	35	(rake near2 receiver\$5) and (decod\$5 with feedback) and @ad<"20010807"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
30	1	((rake near2 receiver\$5) near2 feedback) and decod\$5 and @ad<"20010807"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
31	2	((parallel near2 demodula\$7) near2 feedback) and @ad<"20010807"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
32	3	((parallel near2 demodula\$7) near6 feedback) and @ad<"20010807"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
33	8	((parallel near6 demodula\$7) near6 feedback) and @ad<"20010807"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
34	5899	(atarius.in. or eriksson.in. or palenius.in. or carlsson.in. or gustafsson.in. or ostberg.in.) and @ad<"20010807"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
35	33	S34 and rake and receiv\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
36	2091	(parallel near6 demodula\$7) and @ad<"20010807"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
37	719	(parallel near2 demodula\$7) and @ad<"20010807"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
38	44	(parallel near2 demodula\$7) and rake and @ad<"20010807"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
39	1000	(adapt\$5 with rake) and @ad<"20010807"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
40	82	(adapt\$5 with rake with parallel) and @ad<"20010807"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
41	52	(adapt\$5 with rake with parallel) and receiv\$5 and @ad<"20010807"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
42	3	(adapt\$5 with rake with parallel) and (decod\$5) and @ad<"20010807"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
43	8	(correlat\$5 near2 tim\$5 near2 channel near2 estimat\$5) and @ad<"20010807"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
44	1	"non-spread spectrum" near2 demodulat\$5 and @ad<"20010807"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
45	11	(demodulat\$5 near2 select\$5 near2 quality) and @ad<"20010807"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
46	2	(partial near2 decod\$5 near2 quality) and @ad<"20010807"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
47	1	(375/130, 375/140, 375/141, 375/142, 375/147, 375/144, 375/148, 375/150, 375/316, 375/377).cccls. and (demodulat\$5 near2 select\$5 near2 quality) and @ad<"20010807"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
48	1	(375/130, 375/140, 375/141, 375/142, 375/147, 375/144, 375/148, 375/150, 375/316, 375/377).cccls. and (demodulat\$5 near2 select\$5 near2 quality) and @ad<"20010807"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
49	1	wo-200129982-\$.did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
50	1	wo-200035112-\$.did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
51	2	"6148023".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
52	0	("5572552.pn.").PN.	US-PGPUB; USPAT; USOCR
53	1	("5572552").PN.	US-PGPUB; USPAT; USOCR
54	6546	correlat\$7 and (symbol\$7 near2 represent\$7) and @ad<"20010807"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
55	1	correlat\$7 same (symbol\$7 near2 represent\$7) same ((further or more) near2 process\$7) and @ad<"20010807"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
56	56	correlat\$7 same (symbol\$7 near2 represent\$7) same (nois\$7 or quali\$7 or snr) and @ad<"20010807"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
57	21	correlat\$7 same (symbol\$7 near2 represent\$7) same ((further or more or again or repeat\$7 or repet\$7) near2 (process\$7 or analy\$7 or correlat\$7)) and @ad<"20010807"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
58	10	correlat\$7 same (symbol\$7 near2 represent\$7) same ((further or more or again) near2 (process\$7 or analy\$7 or correlat\$7)) and @ad<"20010807"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
59	233426	((further or more or again) near2 (process\$7 or analy\$7 or correlat\$7)) and @ad<"20010807"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
60	41	((further or more or again or repeat\$7 or repet\$7) near2 (process\$7 or analy\$7 or correlat\$7))) with (based near2 (nois\$7 or quali\$7 or snr)) and @ad<"20010807"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
61	38	((further or more or again or repeat\$7 or repet\$7) near2 (process\$7 or analy\$7 or correlat\$7))) with (based near2 (nois\$7 or quali\$7 or snr)) and (select\$7 or choos\$7 or choic\$7 or pick\$7) and @ad<"20010807"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
62	3	("6463097").URPN.	USPAT
63	6	("6097716" "6112325" "6134278" "6147964" "6167079" "6175590").PN.	US-PGPUB; USPAT; USOCR
64	9	S63 or S64 and @ad<"20010807"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
65	47	((further or more or again or repeat\$7 or repet\$7 or futur\$7) near2 (process\$7 or analy\$7 or correlat\$7 or decod\$7 or discriminat\$7 or work\$7))) with (based near2 (nois\$7 or quali\$7 or snr)) and @ad<"20010807"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
66	2	(375/130, 375/140, 375/141, 375/142, 375/147, 375/144, 375/148, 375/150, 375/316, 375/377, 455/130, 455/132, 455/133, 455/135).ccls. and (demodulat\$5 near2 select\$5 near2 quality) and @ad<"20010807"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
67	4	("5216676" "5339334" "5504774" "6937005").PN.	US-PGPUB; USPAT; USOCR
68	3	("6181749").URPN.	USPAT
69	2	(375/130, 375/140, 375/141, 375/142, 375/147, 375/144, 375/148, 375/150, 375/316, 375/377, 455/130, 455/132, 455/133, 455/135).ccls. and (demodulat\$5 near2 select\$5 near2 quality) and @ad<"20010807"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB